



› PRINT › COPY › SCAN › FAX

**ECOSYS M6535cidn/
M6035cidn/M6530cdn**

COLOR MULTIFUNCTIONAL
PRINTERS



**ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.**



- › Fast Output Speeds of up to 37 Pages per Minute
Color and Black & White
- › Standard Color Print, Copy, Scan and Black &
White Fax
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Optional Manual Stapler for up to 20 Sheets
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
on HyPAS Models
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing
and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution

 **KYOCERA**
Document Solutions

ECOSYS M6535cidn Series - DOCUMENT IMAGING CAPABILITIES THAT TRANSCEND THE DESKTOP

The **ECOSYS M6535cidn** color multifunctional printer series elevates desktop power and flexibility to the next level. Superior output at speeds up to 37 pages per minute in black and color, plus productivity enhancing business applications power document imaging across the workgroup. Print, copy, scan and fax (ECOSYS M6535cidn/M6530cdn) capabilities from a single device bring added convenience, streamlining hardware requirements in a small footprint. A tablet-like color touch screen adds effortless operation at the device (ECOSYS M6535cidn/M6035cidn) while optional wireless printing and standard Apple AirPrint™ capabilities address the needs of the mobile workforce. The result is a document imaging solution that is highly efficient yet still budget conscious.

Environmentally friendly and highly economical, ECOSYS MFPs leverage KYOCERA's advanced technology to deliver all the powerful functions users demand packed within a compact device, enabling you to work faster and smarter. Incorporating a durable imaging system based on KYOCERA's long-life patented drums, these MFPs are capable of printing thousands of pages before requiring parts replacement. Because the drum is separate from the toner, only the toner needs to be replaced when depleted. Not only does this reduce waste, it provides your business with an economical advantage.

SMART FEATURES DRIVE EXCEPTIONAL PRODUCTIVITY

Keeping information moving at the speed of your business, the ECOSYS M6535cidn Series offers robust and responsive features that power daily activities. Its color capabilities elevate output and add impact to communications.

- Print and copy speeds up to 37 ppm in black and color
- 75 sheet standard reversing automatic document processor
- 1,850 sheet maximum paper capacity supporting multiple paper types and weights
- Built-in Gigabit Ethernet for high speed data processing
- Optional wireless LAN for convenient placement anywhere in the office

CUSTOMIZED DOCUMENT MANAGEMENT - JUST A FINGER TAP AWAY

The ECOSYS M6535cidn/M6035cidn boast an intuitive color touch screen control panel. The large 7" display with a tablet-like home screen enables easy customization, similar to a tablet. The ability to save job programs directly to the home screen makes the device extremely user friendly and helps speed project completion.

- Large 7" tablet-like display
- Tilttable / adjustable display
- Home Key - Easily access your customized control panel home page with this hard key
- Accessibility Display - Magnified control panel capabilities for visually impaired individuals

SECURELY MOVING INFORMATION, WHEN AND HOW YOU NEED IT

Today's on-the-move employees go where their business takes them. Whether in the office or on the road, easy access to documents is mission-critical. The ECOSYS M6535cidn Series keeps your information moving with you, helping you stay confidently prepared. It's one more way KYOCERA is powering the needs of our customers by taking MFP functionality and convenience to the next level.



- USB host interface provides print-from and scan-to convenience for busy users
- Meet the needs of your on-the-go work style with mobile printing via Apple AirPrint™ for iOS devices

In keeping with document security demands, powerful standard and optional security solutions address privacy concerns by protecting confidential information from interception. At the same time, usage tracking capabilities help to control costs by more accurately assigning them to their correct users or departments.

- User authentication, standard password protection and private print keeps confidential information safe
- Standard job accounting simplifies device based tracking, while allowing up to 100 access codes
- Optional HID card reader offers maximum document security as well as usage monitoring capabilities to more accurately allocate costs



For those businesses for whom budget is a factor, the ECOSYS M6530cdn's hard key control panel, with 5 line LCD screen, offers a cost effective alternative.

TRANSFORMING YOUR HARDWARE INVESTMENT INTO A POWERFUL WORKFLOW TOOL

The feature-rich ECOSYS M6535cidn Series seamlessly integrates within virtually any network environment or platform, including Windows and Mac. Built on KYOCERA's award-winning product platform, it combines proven productivity with a highly scalable architecture to keep your information flowing.

From mobile and cloud, to cost control and security solutions, KYOCERA is committed to providing our customers with enhanced business applications powered by HyPAS, KYOCERA's robust software development platform directly from the ECOSYS M6535cidn/M6035cidn*. Developed by KYOCERA or by our third-party solution providers, these applications optimize your hardware investment by expanding the capabilities of your MFP - all from the comfort of a single device.

We get to the heart of your critical business challenges, with a personalized, single source approach that helps streamline your entire document workflow to reduce costs, increase workplace productivity and efficiency, and deliver exceptional results you can count on.

*HyPAS Business Applications available for the ECOSYS M6535cidn and M6035cidn only, with the addition of an optional SD card.



KEEPING THE FUTURE GREEN

KYOCERA is committed to pursuing a harmonious balance between economic development and environmental preservation. We adhere to the goals of our worldwide Environmental Action Plan in developing office solutions with environmentally friendly and superior energy-and supply-saving features.

While striving to maintain a clear vision in pursuing a balance between economic and environmental preservation, our devices are built around our sustainable ECOSYS technology, offering many hardware features and system settings that can dramatically reduce waste without compromising productivity.

- Long life components and consumables
- Power-saving sleep mode or adjustable sleep mode
- Low noise levels
- Compliance with RoHS and Energy Star environmental standards



STREAMLINE YOUR DOCUMENT WORKFLOW WITH CUSTOMIZABLE SOLUTIONS THAT SIMPLY AND SECURELY INTEGRATE WITH YOUR ECOSYS MFP*



CAPTURE & DISTRIBUTION

Transform hard copies into digital documents for simplified distribution and storage



DOCUMENT MANAGEMENT

Facilitate workflow with easy document capture, store, share and retrieval



MOBILE & CLOUD

Print and scan on-the-go for document access when and where you need it



NETWORK DEVICE MANAGEMENT

Stay in control of your devices locally or remotely



OUTPUT MANAGEMENT

Power productivity by printing from virtually any environment



COST CONTROL & SECURITY

Manage MFP costs while protecting assets and keeping information secure

*Compatibility with applications may vary depending on model selected

ECOSYS M6535cidn/M6035cidn/M6530cdn

ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

BASIC SPECIFICATIONS

Configuration: Color Multifunctional Printers - ECOSYS M6535cidn/M6530cdn - Print / Scan / Copy / Fax; ECOSYS M6035cidn - Print / Scan / Copy
Pages per Minute: ECOSYS M6535cidn/M6035cidn - Letter: 37 ppm, Legal: 30 ppm, A4: 35 ppm; ECOSYS M6530cdn - Letter: 32 ppm, Legal: 26 ppm, A4: 30 ppm
Warm Up Time: ECOSYS M6535cidn/M6035cidn - 25 seconds or less from main power on; ECOSYS M6530cdn - 26 seconds or less from main power on

First Page Out:

ECOSYS M6535cidn/M6035cidn - Copy: 9 seconds Black, 11 seconds Color; Print: 7 seconds Black, 8.5 seconds Color; ECOSYS M6530cdn - Copy: 9.5 seconds Black, 11.5 seconds Color; Print: 7 seconds Black, 8.5 seconds Color
Display: ECOSYS M6535cidn/M6035cidn - 7" Color Touch Screen Control Panel; ECOSYS M6530cdn - 5 Line LCD screen with hard key control panel

Resolution: 600 x 600 dpi, 9,600 x 600 multi bit interpolated resolution

Memory: Standard 1 GB, Upgradable to 2 GB

Hard Disk Drive: Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

Duplex: Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60-163gsm)

Standard Output Tray: 250 Sheets

Dimensions / Weight:

ECOSYS M6535cidn - 18.7" W x 22.0" D x 24.3" H / 78 lbs;
ECOSYS M6035cidn - 18.7" W x 22.0" D x 24.3" H / 77.8 lbs;
ECOSYS M6530cdn - 18.7" W x 22.0" D x 24.3" H / 76.5 lbs

Maximum Monthly Duty Cycle: 100,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements:

ECOSYS M6535cidn/M6035cidn - 120V, 60Hz, 10.3A; 220-240V, 50/60Hz, 5.6A; ECOSYS M6530cdn - 120V, 60Hz, 9.0A; 220-240V, 50/60Hz, 5.0A

Typical Energy Consumption: ECOSYS M6535cidn/M6035cidn - 120V: 2.15 KWh/week; 220-240V: 2.01 KWh/week; ECOSYS M6530cdn - 120V: 1.88 KWh/week; 220-240V: 1.93 KWh/week

Maximum (including options): ECOSYS M6535cidn/M6035cidn - 120V: 1,326 W; 220-240V: 1,340 W; ECOSYS M6530cdn - 120V: 1,126 W; 220-240V: 1,285 W

Printing: ECOSYS M6535cidn/M6035cidn - 120V: 596 W; 220-240V: 537 W; ECOSYS M6530cdn - 120V: 547 W; 220-240V: 502 W

Copying: ECOSYS M6535cidn/M6035cidn - 120V: 607 W; 220-240V: 551 W; ECOSYS M6530cdn - 120V: 571 W; 220-240V: 510 W

Ready Mode: ECOSYS M6535cidn/M6035cidn - 120V: 73 W; 220-240V: 73 W; ECOSYS M6530cdn - 120V: 59 W; 220-240V: 57 W

Sleep Mode: 120V: 2 W; 220-240V: 2.1 W

Power Off: 120V: 0.3 W; 220-240V: 0.3 W

PAPER SUPPLY

Standard Paper Sources: Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

Paper Capacity: Standard: 350 Sheets; Maximum: 1,850 Sheets

Paper Size: Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal) MPT: 2.8" x 5.8" - 8.5" x 14"

Paper Weight:

Standard Drawer: 16 lb Bond - 90 lb Index (60-163gsm); Optional Drawers / MPT: 16 lb Bond - 120 lb Index (60-220gsm)
Input Materials: Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Coated, Envelopes, Labels; MPT: Cardstock Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTPS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

Optional: Data Security Kit (E) (HDD/SSD Overwrite Mode, HDD/SSD Data Encryption)

PRINT SPECIFICATIONS

Standard Controller: PowerPC 4655 / 1GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS

Fonts: 93 Scalable Fonts for PCL/Postscript, 93 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font, PDF417
Windows OS Compatibility: Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

Mac OS Compatibility: Mac OS 10.5 and later, AirPrint Enabled
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot; Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Print and Supported Protocols: TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, Mac Driver, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

Document Box: Job Box for RAM based Private Print, Proof and Hold, Job Storage*, Quick Copy*

PDF Extension: High Compression PDF, Encrypted PDF, PDF/A

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200x400 dpi, 200x100 dpi

File Formats:

Black and White: TIFF, XPS, Open XPS, PDF, PDF/A, Encrypted PDF; Color: TIFF, JPEG, XPS, Open XPS, PDF, PDF/A, Encrypted PDF, High Compression PDF

Scan Speeds:

ECOSYS M6535cidn/M6035cidn - Mono: 300 dpi - 60 ipm Simplex; 26 ipm Duplex; 600 dpi - 40 ipm Simplex; 17 ipm Duplex; Color: 300 dpi - 40 ipm Simplex; 17 ipm Duplex; 600 dpi - 20 ipm Simplex; 9 ipm Duplex; ECOSYS M6530cdn - Mono: 300 dpi - 40 ipm Simplex; 17 ipm Duplex; 600 dpi - 30 ipm Simplex; 13 ipm Duplex; Color: 300 dpi - 30 ipm Simplex; 13 ipm Duplex; 600 dpi - 20 ipm Simplex; 9 ipm Duplex

HARNESS THE POWER OF YOUR ECOSYS PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



PINPOINT SCAN: Scan from your MFP to your PC with added speed, functions and versatility.



DMCONNECT: Transforms your MFP into an on-ramp for routing documents to any folder in your DMS.



KYOCERA HOMEPPOINT: Securely browse document folders from any networked KYOCERA MFP.



MY PANEL: Allows users to leverage the power of printing, copying, or scanning from the convenience of their smartphone or tablet to their KYOCERA device.

Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

Original Size:

Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

Drivers: TWAIN Driver, WIA Driver

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Map, Printed Document mode

Continuous Copy: 1-999 / Auto Reset to 1

Additional Features: Auto Start, Auto Drawer Change

Job Management: 100 Department Codes, Job Programs, Shortcut Keys

Magnification / Zoom: 25 - 400% in 1% step increments

DOCUMENT PROCESSOR

Type / Capacity: Standard Reversing Automatic Document Processor / 75 Sheets

Acceptable Originals: 4.13" x 5.8" - 8.5" x 14"

Acceptable Weights: Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 lb Bond - 32 lb Bond (50-120gsm)

FAX SPECIFICATIONS

(ECOSYS M6535cidn/M6530cdn ONLY)

Compatibility / Data Compression: ITU-T Group 3/MH, MR, MMR, JBIG

Transmission Speed / Modem Speed: 3 Seconds or less per page / 33.6 kbps

Fax Memory: 3.5 MB

Driver: Network Fax Driver

Fax Functions: ECOSYS M6535cidn - Duplex Transmission/ Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports; ECOSYS M6530cdn - Duplex Transmission/Reception, One Touch Dial (22 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

PAPER HANDLING OPTIONS

Up to three (3) **PF-5100** Drawers can be installed

PF-5100 PAPER FEEDER

Paper Capacity: 500 Sheets

Paper Size / Weight: Letter, Legal, Statement, A4, A5, B5, Envelope, Custom / 16 lb Bond - 120 lb Index (60-220gsm)

Dimensions / Weight: 15.4" W x 21.0" D x 4.6" H / 9.1 lbs

ADDITIONAL OPTIONS

Memory: 1 GB 144 pin DDR3 SDRAM DIMM

HDD: Optional **HD-6** (32 GB SSD), Optional **HD-7** (128 GB SSD)

Wireless LAN: IB-51: IEEE 802.11 b/g/n

Additional NIC: IB-50 Gigabit NIC

Security: Card Authentication Kit(B), Data Security Kit(E)

Finishing: **MS-5100:** Manual Stapler (for up to 20 Sheets)

SD Card:** 16 / 32 GB

*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

**Optional SD Card Required for HyPAS Business Applications (ECOSYS M6535cidn/M6035cidn Only)

Specifications and design are subject to change without notice.

For the latest on connectivity visit www.kyoceradocumentsolutions.com/us.

ECOSYS, PinPoint Scan, DMS Link and DMConnect are trademarks of the KYOCERA Companies.

Mac and AirPrint are trademarks of Apple, Inc.

All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2015 KYOCERA Document Solutions America, Inc.

IC# 855D400436



PowerPC™



KYOCERA
Document Solutions